

## Datasheet Breathing filter 19 E

Designation:	Respiratory protection insert filter E1 Gas filter according to DIN EN 14387 – filter type E - filter class 1 as part of a respiratory protective device according to DIN EN 133 – filter device	
Description:	Cylindrical housing with profiled perforated base and cover	
Article-Number:	920002 (5 pieces in folding box)	
Application:	In conjunction with filter holder 5570/35 on breathing connection Full face mask (DIN EN 136) or half mask (EN 140) with round thread connection - for protection against sulphur dioxide, hydrogen chloride (hydrogen chloride)	
Standards:	DIN EN 133 DIN EN 148-1	Respiratory protective devices - Classification Respiratory protective devices - Threads for breathing connections - Round thread connection
	DIN EN 14387	Respiratory protective devices - Gas filters and combination filters
Identification color:	yellow (adhesive label)	
Materials:	Housing, perforated disk Filter medium Non-woven discs Sealing foil	Aluminum alloy Activated carbon Polypropylene Polypropylene
Dimensions:	Diameter approx. 95 mm Height approx. 30 mm	
Weight:	approx. 110 grams	
Storability:	6 years - from date of manufacture (protected from cold, heat and moisture)	
Inhalation resistance:	< 1.0 mbar at 30 l/min constant air flow < 4.0 mbar at 95 l/min constant air flow	
Handling:	Only remove the filter from the packaging immediately before use and insert into the filter holder 5570/35. Screw the filter holder firmly into the connection piece of the mask.	
Main application:	Sulphur dioxide Formic acid	
Service life:	The service life of gas filters depends on several factors such as concentration of harmful gases, ambient temperature, air humidity, work intensity, posture, etc. and therefore cannot be determined in advance. Opened filters must be replaced after 6 months at the latest.	



Revision 11.2023 – Errors and omissions excepted. All data are non-binding guide values.

**BartelsRieger Atemschutztechnik GmbH**

Richard-Byrd-Straße 23 | 50829 Cologne | Phone +49 (0)221 59777-0 | mail@bartels-rieger.de | www.bartels-rieger.de

Ust.-IdNr. DE 815603312 | St.-Nr. 217/5811/1510 | Reg.-Gericht Köln | HRB 54098 | Managing Director: Tobias Rutt

## Datasheet Breathing filter 19 E

Application limits:	according to technical rules for hazardous substances TRGS 900 "Occupational exposure limits" with half/quarter mask: 30 times the occupational exposure limit value with full face mask: 400 times the occupational exposure limit value Maximum permissible Gas concentration: of gas filter class 1 (A1, B1, E1, K1) = 1,000 ml/m <sup>3</sup>
Instructions for use:	The use of respiratory filters requires a basic knowledge of the function and handling of respiratory protective devices. Information on this can be found in the trade association regulations and rules, in particular in DGUV Rule 112-190. The use of respiratory protective devices generally means additional strain for the person wearing the respiratory protective device. Most respiratory protective devices require occupational health screening in accordance with the "Ordinance on Occupational Health Care" (ArbMedVV). <b>Damaged filters must not be used.</b>
Regulations / rules:	Regulation (EU) 2016/425 on personal protective equipment PPE Usage Ordinance (PSA-BV) Ordinance on occupational health care (ArbMedVV) BGV A1 Employer's Liability Insurance Association Regulation for Safety and Health at Work - Accident Prevention Regulation - Principles of Prevention.  DGUV Rule 112-190 Employer's liability insurance association rules for safety and health at work - "Use of respiratory protective devices".  Hazardous Substances Ordinance (GefStoffV) with associated Technical Rules for Hazardous Substances (TRGS), in particular TRGS 402 "Determination and assessment of hazards during activities involving hazardous substances: Inhalative exposure" and other technical rules for hazardous substances.

Revision 11.2023 – Errors and omissions excepted. All data are non-binding guide values.

**BartelsRieger Atemschutztechnik GmbH**

Richard-Byrd-Straße 23 | 50829 Cologne | Phone +49 (0)221 59777-0 | mail@bartels-rieger.de | www.bartels-rieger.de  
Ust.-IdNr. DE 815603312 | St.-Nr. 217/5811/1510 | Reg.-Gericht Köln | HRB 54098 | Managing Director: Tobias Rutt

# Datasheet Breathing filter 19 E

Order details:	Article number	Description
	920002	Gas filter 19E
	111200	Full face mask BRK 820
	111201	Full face mask BRK 820 V
	111208	Full face mask BRK 820 G
	111400	Full face mask TR 2002 CL3
	913503	Half mask 620 N
	913510	Half mask 620 S
	912500BL	Half mask 600
	929005	Filter holder 5570/35
	929006	Filter holder 5570/70
	929105	Coarse dust pre-filter 35/70
	111704	Wall container for full face mask including one filter
	111705	Wall container for two full face masks including two filters
	111703	Carrying case B78 for one full face mask and one filter

Revision 11.2023 – Errors and omissions excepted. All data are non-binding guide values.

**BartelsRieger Atemschutztechnik GmbH**

Richard-Byrd-Straße 23 | 50829 Cologne | Phone +49 (0)221 59777-0 | [mail@bartels-rieger.de](mailto:mail@bartels-rieger.de) | [www.bartels-rieger.de](http://www.bartels-rieger.de)  
Ust.-IdNr. DE 815603312 | St.-Nr. 217/5811/1510 | Reg.-Gericht Köln | HRB 54098 | Managing Director: Tobias Rutt